



Domino

Slim, acoustic glass moving wall

Truly unique. So much so that there isn't an equal in the UK.

With mechanical seals that do not require manual-winding, Domino will configure rooms in minutes.

And being able to achieve up to 35dB when double-glazed, with the option of composite laminate panels instead of glass, Domino creates aesthetic benefit and appeal in all kinds of spaces.


Domino can also incorporate full-height pass-door panels that comprise of slim profiles and frames making the door inconspicuous and unobtrusive. These pass-doors are able to slide and stack away with the basic panels too. And if a junction is required, again, ultra-slim junction points can be incorporated onto a panel to ensure the desired configuration is achieved.




Domino

Slim, acoustic glass moving wall

TECHNICAL DETAILS



STANDARD STACKING CONFIGURATIONS



- 1. Panel Connection
- 2. Fixed Jamb
- 3. Standard Panel
- 4. Single Point
- 5. Twin Point
- 6. Floor Seal
- 7. TP with Pelmet
- 8. SP with Pelmet

- Config A
Single-point
- Config B
Twin-point,
H-park
- Config C
Twin-point,
Offset Stack
- Config D
Twin-point,
Linear Stack
- Config E
Twin-point,
H-park Split
- Config F
Twin-point,
Split Offset Track

Please note:
Panel thickness will vary depending on system type.
Other stacking options are available on request.
Please contact Creatif for further details.

TECHNICAL INFORMATION

	DOMINO	
	GLASS	SOLID
Acoustic rating dB (Rw)	25dB	35dB
Panel thickness	50mm	50mm
Weight KG/M ²	Contact Creatif for details	Contact Creatif for details
Max. height	3500mm	3500mm
Max. panel width	1250mm	1250mm
Board type	SAA Aluminium frame + glass	SAA Aluminium frame + MFC
Operable seal	Mechanical top and bottom seals	Mechanical top and bottom seals
Track system	Aluminium SP + TP	Aluminium SP + TP
Tolerance height MM	+/-3mm	+/-3mm
Tolerance width MM	+/-3mm	+/-3mm


Other colours available on request. Contact Creatif: sales@creatif.org.uk

For constraints and variations contact Creatif: sales@creatif.org.uk


Ironmongery and Vision panels subject to constraints, contact us for information.

*Double inset pass door only available with twin point track.

SWATCHES



AVAILABLE PANELS ELEVATIONS





FEATURES & BENEFITS

- » Fast space flexibility – configurable space in the shortest possible time.
- » Fully-glazed pass-door option – in-keeping with other panels in the same set.
- » Mechanical top and bottom seals – speed and ease of use.
- » No floor track – unbroken floor surface.
- » Maximum glass surface area, minimum profile coverage – maximising light transfer.
- » Unique to Apton – no UK equal.



Head Office
Unit 3 Cannon Business Park
Gough Road | Coseley
Wolverhampton | WV14 8XR.

Tel: 01902 385 250
Fax: 01902 385 25
enquiries@apton-partitioning.com

www.apton-partitioning.com